

v e n e e r s c r e e n s



wire mesh belt — for quality and production



Quality

Our dryer screens are manufactured with precision and accuracy to ensure consistent quality and production from your dryer. High quality stainless steels are used to prevent marking and staining of all species.

Manufactured to the tightest tolerances our flat wire dryer screens ensure true tracking and reduced maintenance for years of service.

Selection

We offer a full line of veneer screens to suit your drying needs. For today's high speed press dryers we offer several engineered sets of belts designed to reduce friction and spiral "locking". Our line of screens include original equipment specifications for all OEM's currently manufacturing veneer dryers.

Service

Exceptional quality, experienced staff, competitive pricing, and flexible delivery schedules make us the obvious choice.


Our screens are oil-free, plastic wrapped and sealed in wooden crates to eliminate any potential for dirt or damage. Our forwarding department will ensure your order is delivered as promised without hassles or extra charges.

On-site service

With over 15 years experience manufacturing dryer screens we offer full on-site service from design, installation, trouble shooting, and full repair. Our on-site repair eliminates the downtime caused by removal and shipping. We will repair your screens on the dryer at your convenience often eliminating downtime, and saving thousands over the cost of a new screen.

Specification	Pin dia.	Wire dia.	lbs./sq. ft.	Pin dia. Metric	Metric Dimensions	kgs./sq.mtr.
B-9-8-11-13	.120"	.092"	0.82	3.0mm	35mm x 35mm	4.00
B-12-8-11-13	.120"	.092"	0.92	3.0mm	25mm x 35mm	4.50
BFS-24-16-12-14	.105"	.080"	1.50	2.66mm	12.7mm x 19mm	7.35
BFS-30-18-12-14	.105"	.080"	1.90	2.66mm	10mm x 17mm	9.30
BFS-30-18-14-16	.080"	.062"	1.10	2.03mm	10mm x 17 mm	5.40
BFS-36-20-14-16	.080"	.062"	1.35	2.03mm	8.5mm x 15mm	6.60
BFS-48-18-14-16	.080"	.062"	1.60	2.03mm	6.5mm x 17mm	7.85
BFS-36-20-16-17	.062"	.054"	0.90	1.57mm	8.5mm x 15mm	4.40
BFS-48-18-16-17	.062"	.054"	1.10	1.57mm	6.5mm x 17mm	5.40
BFS-48-22-14-16	.080"	.062"	1.75	2.03mm	6.5mm x 14mm	8.55
BFS-60-22-14-16	.080"	.062"	2.15	2.03mm	5.0mm x 14mm	10.50
BFS-48-28-14-16	.080"	.062"	1.95	2.03mm	6.5mm x 10.5mm	9.55
BFS-55-28-14-16	.080"	.062"	2.05	2.03mm	5.5mm x 10.5mm	10.00
BFS-60-34-14-16	.080"	.062"	2.50	2.03mm	5.0mm x 9.0mm	12.25
BFS-72-54-18	.0475"	.0475"	1.70	1.20mm	4.2mm x 5.5mm	8.30
BFS-84-54-18	.0475"	.0475"	1.95	1.20mm	3.6mm x 5.5mm	9.55
BFS-72-45-16-18	.062"	.0475"	1.75	1.57mm	4.2mm x 6.75mm	8.55
BFS-84-48-16-18	.062"	.0475"	2.05	1.57mm	3.6mm x 6.5mm	10.00

Wood Veneer Screens



B-9-8-11-14



B-12-8-11-14



BFS 30-18-14-16



BFS-36-20-14-16




BFS-48-18-14-16



BFS-48-22-14-16



BFS-60-22-14-16




BFS-48-28-14-16



BFS-55-28-14-16



BFS-60-34-14-16



BFS-72-45-16-18



BFS-84-48-16-18

Edge Terminations



Looped Edge (Bobby-Pin)



Wrapped & Welded Edge
(Pig-Tailed)



Welded Edge



v e n e e r s c r e e n s



Wire Mesh Belt Co. of Canada Ltd.

170 Summerlea Road
Brampton, Ontario, Canada
L6T 4X3

tel: 905-791-5400

fax: 905-791-5481

toll free North America

tel: 1-888-962-2358

fax: 1-888-329-2358

e-mail: sales@wiremeshbelt.com

www.wiremeshbelt.com